

Message

---

**From:** Moore, Gary [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D9494EB3B37241B09CE3BDEAFF4C557A-MOORE, GARY]  
**Sent:** 9/22/2018 4:43:23 PM  
**To:** Jennifer Lyke [Lyke.Jennifer@epa.gov]  
**Subject:** F.J. Doyle Salvage (Urgent)

Jennifer:

I will need a DSHS Health Professional to help the Leonard ISD craft a health message associated with the PCB contamination. Especially the non-actionable PCB detections on the daycare center. Please have someone with DSHS get in touch with me to discuss and so that I can get the information to the LISD Superintendent.

The contacts with the school are:

Brad Maxwell (LISD Superintendent): [maxwellb@leonardisd.net](mailto:maxwellb@leonardisd.net) 903.587.2318

Jeff Johnson (LISD Asst. Superintendent): [jjohnson@leonardisd.net](mailto:jjohnson@leonardisd.net) 903.587.2318 ext. 404

Thanks

**Gary W. Moore (6SF-ER)**  
**Federal On-Scene Coordinator**  
**U.S EPA Region 6**  
**1445 Ross Ave, Suite 1200**  
**Dallas, TX 75202-2733**  
**Cell: 214.789.1627**  
**[moore.gary@epa.gov](mailto:moore.gary@epa.gov)**